Vsix Analytical Labs Pvt. Ltd.

TC - 7464

TEST REPORT

Issued to :

M/s. Nuvedo Labs Private Ltd,
35/1, Dwaraka industries, Gollahalli, 10th Block,,
Anjanapura,
Bangalore-560062,
Karnataka, INDIA.

ULR	**: TC7464TC746426000030**
Report No.	: VRB/GE/2610/08-0001
Report Date	: 15/10/2026
Sample Code No.	: VLB/GE/2610/08-0001
Date of Receipt	: 08/10/2026
Party Reference No	: TRF
Date of TRF/Letter	: 08/10/2026
Page No	: 1 of 2

Sample Particulars

Name of the Sample	: **Reishi Extract**
Analysis Start Date	: 08/10/2026
Analysis Completion Date	: 15/10/2026
Sample Condition	: Good
Sample Registered By	: Prem Kumar
Sample Quantity	: 50ml
Note	: The sample was collected by our representative

Description:Brown coloured liquid

Sl. No.	Test Parameter	Units	Results	Limit of Quantification	Limits (as per FSSAI Regulation 2011)	Test Method
Discipline :Chemical						
Group :Others						
Heavy Metals						
1	Lead as Pb	mg/kg	BLQ	0.05	Max 2.5	GA/0003
2	Copper as Cu	mg/kg	BLQ	0.2	Max 30	GA/0003
3	Arsenic as As	mg/kg	BLQ	0.05	Max 1.1	GA/0001
4	Cadmium as Cd	mg/kg	BLQ	0.05	Max 1.5	GA/0003
5	Tin as Sn	mg/kg	BLQ	1	Max 250	GA/0003
6	Mercury as Hg	mg/kg	BLQ	0.05	Max 1.0	GA/0002
7	Methyl mercury	mg/kg	BLQ	0.05	Max 0.25	GA/0002
Discipline :Biological						
Group :Others						
Microbiological Tests						
8	Total Colifoms	CFU/ml	<1	NA	Not Specified	IS:5402:(Part-1):2012
9	Staphylococcus aureus	CFU/ml	<1	NA	Not specified	IS 5887(p-8) sec-1:2023
10	Salmonella	per 25ml	Absent	NA	Absent	IS 5887(Part-3/Sec-1);2020
11	Listeria Monocytogenes	per 25ml	Absent	NA	Absent	IS 14988(Part-1):2020
12	Escherichia coli	per ml	Absent	NA	Not Specified	IS 5887 (Part 1):1976

TEST REPORT

Issued to :

M/s. Nuvedo Labs Private Ltd,
35/1, Dwaraka industries, Gollahalli, 10th Block,,
Anjanapura,
Bangalore-560062,
Karnataka, INDIA.

ULR	**: TC7464TC746426000030**
Report No.	: VRB/GE/2610/08-0001
Report Date	: 15/10/2026
Sample Code No.	: VLB/GE/2610/08-0001
Date of Receipt	: 08/10/2026
Party Referance No	: TRF
Date of TRF/Letter	: 08/10/2026
Page No	: 2 of 2

Sl. No.	Test Parameter	Units	Results	Limit of Quantification	Limits (as per FSSAI Regulation 2011)	Test Method
Discipline :Biological						
Group :Others						
13	Vibro cholerae	per 25ml	Absent	NA	Not specified	ISO:21872-1:2020

Note : BLQ: Below limit of Quantification CFU : Colony forming unit

Remarks : The above sample meets the prescribed limits as per FSSR -2011 regulations with respect to the above tested parameters only.

Verified by
Krishnapriya M
Assistant Manager-Microbiology

Authorised Signatory
Pooja Kulal
Assistant Manager - Food

Vsix Analytical Labs Pvt. Ltd. Bangalore

****** *End of Report* ******

TEST REPORT

Issued to :

M/s. Nuvedo Labs Private Ltd,
35/1, Dwaraka industries, Gollahalli, 10th Block,,
Anjanapura,
Bangalore-560062,
Karnataka, INDIA.

ULR : **TC746426000030279F**
Report No. : VRB/GE/2610/08-0004
Report Date : 15/10/2026
Sample Code No. : VLB/GE/2610/08-0004
Date of Receipt : 08/10/2026
Party Reference No : TRF
Date of TRF/Letter : 08/10/2026

Sample Particulars

Name of the Sample : **Cordyceps Extract**
Analysis Start Date : 08/10/2026
Analysis Completion Date : 15/10/2026
Sample Condition : Good
Sample Registered By : Prem Kumar
Sample Quantity : 50ml

Note : The sample was collected by our representative

Description:Brown coloured liquid

Sl. No.	Test Parameter	Units	Results	Limit of Quantification	Limits (as per FSSAI Regulation 2011)	Test Method
Discipline :Chemical						
Group :Others						
Heavy Metals						
1	Lead as Pb	mg/kg	BLQ	0.05	Max 2.5	GA/0003
2	Copper as Cu	mg/kg	BLQ	0.2	Max 30	GA/0003
3	Arsenic as As	mg/kg	BLQ	0.05	Max 1.1	GA/0001
4	Cadmium as Cd	mg/kg	BLQ	0.05	Max 1.5	GA/0003
5	Tin as Sn	mg/kg	BLQ	1	Max 250	GA/0003
6	Mercury as Hg	mg/kg	BLQ	0.05	Max 1.0	GA/0002
7	Methyl mercury	mg/kg	BLQ	0.05	Max 0.25	GA/0002
Discipline :Biological						
Group :Others						
Microbiological Tests						
8	Total Colifoms	CFU/ml	<1	NA	Not Specified	IS:5402:(Part-1):2012
9	Staphylococcus aureus	CFU/ml	<1	NA	Not specified	IS 5887(p-8) sec-1:2023
10	Salmonella	per 25ml	Absent	NA	Absent	IS 5887(Part-3/Sec-1);2020
11	Listeria Monocytogenes	per 25ml	Absent	NA	Absent	IS 14988(Part-1):2020
12	Escherichia coli	per ml	Absent	NA	Not Specified	IS 5887 (Part 1):1976

TEST REPORT

Issued to :

M/s. Nuvedo Labs Private Ltd,
35/1, Dwaraka industries, Gollahalli, 10th Block,,
Anjanapura,
Bangalore-560062,
Karnataka, INDIA.

ULR : **TC746426000030279F**
Report No. : VRB/GE/2610/08-0004
Report Date : 15/10/2026
Sample Code No. : VLB/GE/2610/08-0004
Date of Receipt : 08/10/2026
Party Referance No : TRF
Date of TRF/Letter : 08/10/2026
Page No : 2 of 2

Sl. No.	Test Parameter	Units	Results	Limit of Quantification	Limits (as per FSSAI Regulation 2011)	Test Method
Discipline :Biological						
Group :Others						
13	Vibro cholerae	per 25ml	Absent	NA	Not specified	ISO:21872-1:2020

Note : BLQ: Below limit of Quantification CFU : Colony forming unit
Remarks : The above sample meets the prescribed limits as per FSSR -2011 regulations with respect to the above tested parameters only.

Verified by
Krishnapriya M
Assistant Manager-Microbiology

Authorised Signatory
Pooja Kulal
Assistant Manager - Food

Vsix Analytical Labs Pvt. Ltd. Bangalore

****** *End of Report* ******

Vsix Analytical Labs Pvt. Ltd.

TC - 7464

TEST REPORT

Issued to :

M/s. Nuvedo Labs Private Ltd,
35/1, Dwaraka industries, Gollahalli, 10th Block,,
Anjanapura,
Bangalore-560062,
Karnataka, INDIA.

ULR	**: TC746426000030278F**
Report No.	: VRB/GE/2610/08-0007
Report Date	: 15/10/2026
Sample Code No.	: VLB/GE/2610/08-0007
Date of Receipt	: 08/10/2026
Party Reference No	: TRF
Date of TRF/Letter	: 08/10/2026
Page No	: 1 of 2

Sample Particulars

Name of the Sample	: **Lions Mane Extract**
Analysis Start Date	: 08/10/2026
Analysis Completion Date	: 15/10/2026
Sample Condition	: Good
Sample Registered By	: Prem Kumar
Sample Quantity	: 50ml
Note	: The sample was collected by our representative

Description:Brown coloured liquid

Sl. No.	Test Parameter	Units	Results	Limit of Quantification	Limits (as per FSSAI Regulation 2011)	Test Method
Discipline :Chemical						
Group :Others						
Heavy Metals						
1	Lead as Pb	mg/kg	BLQ	0.05	Max 2.5	GA/0003
2	Copper as Cu	mg/kg	BLQ	0.2	Max 30	GA/0003
3	Arsenic as As	mg/kg	BLQ	0.05	Max 1.1	GA/0001
4	Cadmium as Cd	mg/kg	BLQ	0.05	Max 1.5	GA/0003
5	Tin as Sn	mg/kg	BLQ	1	Max 250	GA/0003
6	Mercury as Hg	mg/kg	BLQ	0.05	Max 1.0	GA/0002
7	Methyl mercury	mg/kg	BLQ	0.05	Max 0.25	GA/0002
Discipline :Biological						
Group :Others						
Microbiological Tests						
8	Total Colifoms	CFU/ml	<1	NA	Not Specified	IS:5402:(Part-1):2012
9	Staphylococcus aureus	CFU/ml	<1	NA	Not specified	IS 5887(p-8) sec-1:2023
10	Salmonella	per 25ml	Absent	NA	Absent	IS 5887(Part-3/Sec-1);2020
11	Listeria Monocytogenes	per 25ml	Absent	NA	Absent	IS 14988(Part-1):2020
12	Escherichia coli	per ml	Absent	NA	Not Specified	IS 5887 (Part 1):1976

TEST REPORT

Issued to :

M/s. Nuvedo Labs Private Ltd,
35/1, Dwaraka industries, Gollahalli, 10th Block,,
Anjanapura,
Bangalore-560062,
Karnataka, INDIA.

ULR : **TC746426000030278F**
Report No. : VRB/GE/2610/08-0007
Report Date : 15/10/2026
Sample Code No. : VLB/GE/2610/08-0007
Date of Receipt : 08/10/2026
Party Referance No : TRF
Date of TRF/Letter : 08/10/2026
Page No : 2 of 2

Sl. No.	Test Parameter	Units	Results	Limit of Quantification	Limits (as per FSSAI Regulation 2011)	Test Method
Discipline :Biological						
Group :Others						
13	Vibro cholerae	per 25ml	Absent	NA	Not specified	ISO:21872-1:2020

Note : BLQ: Below limit of Quantification CFU : Colony forming unit
Remarks : The above sample meets the prescribed limits as per FSSR -2011 regulations with respect to the above tested parameters only.

Verified by
Krishnapriya M
Assistant Manager-Microbiology

Authorised Signatory
Pooja Kulal
Assistant Manager - Food

Vsix Analytical Labs Pvt. Ltd. Bangalore

****** *End of Report* ******

Vsix Analytical Labs Pvt. Ltd.

TC - 7464

TEST REPORT

Issued to :

M/s. Nuvedo Labs Private Ltd,
35/1, Dwaraka industries, Gollahalli, 10th Block,,
Anjanapura,
Bangalore-560062,
Karnataka, INDIA.

ULR	**: TC746426000030277F**
Report No.	: VRB/GE/2610/08-0010
Report Date	: 15/10/2026
Sample Code No.	: VLB/GE/2610/08-0010
Date of Receipt	: 08/10/2026
Party Reference No	: TRF
Date of TRF/Letter	: 08/10/2026
Page No	: 1 of 2

Sample Particulars

Name of the Sample	: **Shiitake Extract**
Analysis Start Date	: 08/10/2026
Analysis Completion Date	: 15/10/2026
Sample Condition	: Good
Sample Registered By	: Prem Kumar
Sample Quantity	: 50ml
Note	: The sample was collected by our representative

Description:Brown coloured liquid

Sl. No.	Test Parameter	Units	Results	Limit of Quantification	Limits (as per FSSAI Regulation 2011)	Test Method
Discipline :Chemical						
Group :Others						
Heavy Metals						
1	Lead as Pb	mg/kg	BLQ	0.05	Max 2.5	GA/0003
2	Copper as Cu	mg/kg	BLQ	0.2	Max 30	GA/0003
3	Arsenic as As	mg/kg	BLQ	0.05	Max 1.1	GA/0001
4	Cadmium as Cd	mg/kg	BLQ	0.05	Max 1.5	GA/0003
5	Tin as Sn	mg/kg	BLQ	1	Max 250	GA/0003
6	Mercury as Hg	mg/kg	BLQ	0.05	Max 1.0	GA/0002
7	Methyl mercury	mg/kg	BLQ	0.05	Max 0.25	GA/0002
Discipline :Biological						
Group :Others						
Microbiological Tests						
8	Total Colifoms	CFU/ml	<1	NA	Not Specified	IS:5402:(Part-1):2012
9	Staphylococcus aureus	CFU/ml	<1	NA	Not specified	IS 5887(p-8) sec-1:2023
10	Salmonella	per 25ml	Absent	NA	Absent	IS 5887(Part-3/Sec-1);2020
11	Listeria Monocytogenes	per 25ml	Absent	NA	Absent	IS 14988(Part-1):2020
12	Escherichia coli	per ml	Absent	NA	Not Specified	IS 5887 (Part 1):1976

TEST REPORT

Issued to :

M/s. Nuvedo Labs Private Ltd,
35/1, Dwaraka industries, Gollahalli, 10th Block,,
Anjanapura,
Bangalore-560062,
Karnataka, INDIA.

ULR : **TC746426000030277F**
Report No. : VRB/GE/2610/08-0010
Report Date : 15/10/2026
Sample Code No. : VLB/GE/2610/08-0010
Date of Receipt : 08/10/2026
Party Reference No : TRF
Date of TRF/Letter : 08/10/2026

Sl. No.	Test Parameter	Units	Results	Limit of Quantification	Limits (as per FSSAI Regulation 2011)	Test Method
Discipline :Biological						
Group :Others						
13	Vibro cholerae	per 25ml	Absent	NA	Not specified	ISO:21872-1:2020

Note : BLQ: Below limit of Quantification CFU : Colony forming unit

Remarks : The above sample meets the prescribed limits as per FSSR -2011 regulations with respect to the above tested parameters only.

Verified by
Krishnapriya M
Assistant Manager-Microbiology

Authorised Signatory
Pooja Kulal
Assistant Manager - Food

Vsix Analytical Labs Pvt. Ltd. Bangalore

****** End of Report ******